THE GILL CORPORATION

# Sandwich Panels Composed of Carbon Fiber Reinforced Epoxy Facing Skins Bonded to a Nomex<sup>®</sup> Aramid Honeycomb Core

Safety Data Sheet according to Federal Register /

Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 08/31/2015 Revision date: 07/18/2024 Supersedes: 01/31/2012

	ibstance/mixture and of the company/undertaking
I.1. Product identifier	
Product form Product name	<ul> <li>Mixture</li> <li>Sandwich Panels Composed of Carbon Fiber Reinforced Epoxy Facing Skins Bonded to a Nomex<sup>®</sup> Aramid honeycomb core</li> </ul>
Other means of identification	: Gillfloor <sup>®</sup> 4709, 4709C, 4709S, 4709T Gillfab <sup>®</sup> 4009 Gillfab <sup>®</sup> 5110 Gillfab <sup>®</sup> 4710
.2. Relevant identified uses of the sul	bstance or mixture and uses advised against
Jse of the substance/mixture	: Light weight, high strength panels designed for use as flooring in passenger compartments of commercial aircraft where weight, durability and strength are a major consideration.
.3. Details of the supplier of the safet	y data sheet
The Gill Corporation 4056 Easy Street El Monte, CA 91731 626) 443-4022 www.thegillcorp.com	
.4. Emergency telephone number	
mergency number : THE GILL CORPORATION	ON: 1-626-443-4022 CHEMTREC: 1-800-424-9300
<b>ECTION 2: Hazards identification</b>	
.1. Classification of the substance or	mixture
Eye Dam. 1 H318 Skin Sens. 1 H317 Carc. 1B H350 Repr. 2 H361 Full text of H-phrases: see section 16	
.2. Label elements	
HS-US labeling	
lazard pictograms (GHS-US)	CHS05 CHS07 CHS08
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H232 - May form combustible dust concentrations in air H317 - May cause an allergic skin reaction H318 - Causes serious eye damage H350 - May cause cancer (Dermal, Inhalation, oral) H361 - Suspected of damaging fertility or the unborn child
Precautionary statements (GHS-US)	<ul> <li>P201 - Obtain special instructions before use</li> <li>P202 - Do not handle until all safety precautions have been read and understood</li> <li>P261 - Avoid breathing dust, fume, spray</li> <li>P272 - Contaminated work clothing must not be allowed out of the workplace</li> <li>P280 - Wear face protection, protective gloves</li> <li>P302 + P352 - If on skin: Wash with plenty of water, foam, carbon dioxide (CO2), dry</li> <li>extinguishing powder</li> <li>P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing</li> <li>P308 + P313 - If exposed or concerned: Get medical advice/attention</li> <li>P310 - Immediately call a doctor</li> <li>P321 - Specific treatment (See Section four (4) of this document on this label)</li> <li>P333+P313 - If skin irritation or rash occurs: Get medical advice/attention</li> <li>P362+P364 - Take off contaminated clothing and wash it before reuse</li> </ul>
-201 - 6/18	EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P405 - Store locked up P501 - Dispose of contents/container to comply with local/regional/national/international regulations
2.3. Other hazards	
Other hazards not contributing to the classification	: As packaged, this material does not present significant health hazards. The hazards below apply to the product if aerosols or dusts are generated from cutting, grinding, or smelting. Other constituents in this product are considered nuisance particles or dust. Exposure to dusts or powders may cause mechanical irritation of the respiratory system, eyes, and skin. This Product contains trace amounts of Antimony compounds, Organic -chrome complex and Inorganic Arsenic.
2.4. Unknown acute toxicity (GHS-US)	

### Not applicable

<b>SECTION 3:</b>	Composition/information on ingredie	ents

## 3.1. Substance Not applicable

# 3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
Carbon	(CAS No) 7440-44-0	22 - 40	Comb. Dust, H232
Cured Phenolic Resin(s)	(CAS No) Proprietary	10 - 33	Not classified
Nomex Paper	(CAS No) 25765-47-3	10 - 20	Not classified
Co-cured epoxy resin/synthetic elastomer	(CAS No) Proprietary	12 - 20	Not classified
Cured Epoxy Adhesive	(CAS No) Proprietary	8 - 18	Comb. Dust, H232
Fiberglass	(CAS No) 65997-17-3	0 - 10	Carc. 1B, H350
Antinomy pentoxide	(CAS No) 1314-60-9	4 - 8.5	Not classified

#### Full text of H-phrases: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
First-aid measures after inhalation	Get medical aid immediately. Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.	
First-aid measures after skin contact	Remove contaminated clothing. Rinse immediately with large amounts of water. If frostbite or freezing occurs, immediately flush with plenty of lukewarm water to GENTLY warm the affected area. Do not use hot water. Do not rub affected area. Get immediate medical attention. Obtain medical attention if irritation persists. DO NOT rub or scratch irritated area. If fiberglass becomes imbedded, seek medical attention.	
First-aid measures after eye contact	Flush immediately with large amounts of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Get Immediate Medical Attention.	
First-aid measures after ingestion	Not expected to be an important route of entry into the body. If large amounts of particulate matter are ingested, it may cause gastrointestinal distress. Seek medical attention.	
4.2. Most important symptoms and effe	, both acute and delayed	
Symptoms/injuries : As packaged, this material does not present significant health hazards. The hazards below apply to the product if aerosols or dusts are generated from cutting, grinding, or pulverizing.		
Symptoms/injuries after inhalation	Inhalation of dust may result in itching and upper respiratory tract irritation.	
Symptoms/injuries after skin contact	Dusts and particulate matter may cause irritation of the skin.	
Symptoms/injuries after eye contact	Dusts and particulate matter may cause irritation of the eyes. Mechanical irritation, potentially severe, can result from eye contact with this material.	
Symptoms/injuries after ingestion	May cause toxic effects if inhaled or ingested/swallowed.	
Chronic symptoms	Persons with a history of chronic lung diseases may be at increased risk from exposure to excessive levels of nuisance dust. Persons with medical conditions generally aggravated by mechanical irritants in the air or on the skin may be at increased risk for a worsening of the underlying condition if exposed.	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Any. Use media appropriate for surrounding fire.
5.2. Special hazards arising from the sub	stance or mixture
Fire hazard	: Product will not burn.
Explosion hazard	: Can decompose in a fire emitting toxic fumes and gases of carbon dioxide, carbon monoxide, hydrogen cyanide, antimony oxides, hydrogen bromide, oxides of nitrogen; other toxic and irritating gases can be produced depending on condition of combustion.
5.3. Advice for firefighters	
Firefighting instructions	: Evacuate area.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Firefighters should wear a NIOSH approved full-face piece self-contained breathing apparatus (SCBA) operated in positive pressure mode and full turnout or bunker gear.
Other information	: If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions.
SECTION 6: Accidental release meas	ures
6.1. Personal precautions, protective equ	ipment and emergency procedures
General measures	: Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Avoid breathing dust.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Use personal protective equipment as required.
Emergency procedures	: Ventilate area. Keep unauthorized personnel away.
6.2. Environmental precautions Any wastes generated during cleanup operations properly permitted facility in accordance with all lo	should be evaluated with respect to hazardous and solid waste regulations and disposed of in a ocal, state, and federal regulations.
6.3. Methods and material for containmer	nt and cleaning up
For containment	: Do not walk through any dust resulting from damage to product. Prevent entry into waterways, sewers, basements or confined areas.
Methods for cleaning up	: Pick up product and return to original packaging if reusable. If not reusable, place in appropriate containers for disposal. Any wastes generated during cleanup operations should be evaluated with respect to hazardous and solid waste regulations and disposed of in a properly permitted facility in accordance with all local, state, and federal regulations.
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid contact with skin and eyes. Use methods to minimize dust. Do not breathe dust. DO NOT use compressed air or dry sweeping to remove dust from work area. Use a vacuum with adequate filtration system to remove dusts. If an appropriate vacuum is unavailable, only wet-clean-up methods should be used (i.e. misting). Moisture should be added as necessary to reduce exposure to airborne respirable dust.
Hygiene measures	: Practice good housekeeping. Wash thoroughly after handling.
7.2. Conditions for safe storage, including	g any incompatibilities
Storage conditions	: Store in tightly closed containers out of contact with the elements.
Incompatible products	: Strong acids. Reducing agents.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 7.3. Specific end use(s)

## No additional information available

SECTION 8: Exposure controls/personal protection				
8.1. Control parameters				
Sandwich Panels (	Composed of Carbon Fiber Reinforced Epoxy Facir	ng Skins Bonded to a Nomex Aramid honeycomb core		
ACGIH	Not applicable			
OSHA	Not applicable	Not applicable		
Fiberglass (65997-17-3)				
ACGIH	Not applicable	Not applicable		
OSHA	OSHA PEL (TWA) (mg/m³)	OSHA PEL (TWA) (mg/m³)3 fibers/cm³ (fibers with diameter ≤ 3.5 μm & length ≥ 10 μm); 5 mg/m3 TWA (total fibrous Fiberglass)		
Carbon (7440-44-0)				
ACGIH	TLV	10 mg/m <sup>3</sup> resp dust		
OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ total dust 5mg/m³ resp dust		

Nomex Paper (25765-47-3)		
ACGIH Not applicable		
OSHA	Not applicable	

Cured Epoxy Adhesive (Proprietary) Particulates Not Otherwise Regulated		
ACGIH Not applicable		
OSHA Not applicable		

Cured Phenolic Resin(s) (Proprietary) Particulates Not Otherwise Regulated			
ACGIH	Not applicable		
OSHA	Not applicable		
Antimony Pentoxide (1314-60-9)			
ACGIH	TLV	0.5 mg/m³ resp dust	

Co-cured epoxy resin/synthetic elastomer (Proprietary) Particulates Not Otherwise Regulated		
ACGIH	Not applicable	
OSHA	Not applicable	
Particulates Not Otherwise Regulated (Total Dust)		

Particulates Not Otherwise Regulated (Total Dust)		
ACGIH	ACGIH TWA (mg/m³)	3 mg/m <sup>3</sup> Respirable; 10 mg/m <sup>3</sup> Total dust
OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m <sup>3</sup> Respirable; 15 mg/m <sup>3</sup> Total dust
	•	•

 8.2.
 Exposure controls

 Appropriate engineering controls
 : General ventilation. Local exhaust and enclosed processes may be necessary for processes which generate large quantities of airborne dust.

 Personal protective equipment
 : An Appropriate apron or other body covering, see above, is recommended where there is a possibility of regular work clothing becoming contaminated with the product. All soiled or dirty clothing and personal protective equipment should be thoroughly cleaned before reuse.

 Eye protection
 : Where eye contact is possible with particulate matter, safety glasses with side shields are recommended.

 Skin and body protection
 : Wear gloves impermeable to Fiberglass fibers. Wear loose fitting, long sleeved clothing and long pants.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

 Respiratory protection
 : If dusts or particulates are generated during handling or processing and exposures may exceed the limits cited above, use, as a minimum, a NIOSH approved ½ face piece respirator with cartridges approved for particulate matter with an exposure limit of not less than 0.05 mg/M3. . Respiratory protection is not normally required. If appreciable dusts and/or particulate matter are generated during handling or processing, the operation should be evaluated by a professional industrial hygienist to determine the need for respiratory protection. If respiratory protection is deemed necessary, use, as a minimum, a respirator with NIOSH approvals for particulate matter. All provisions of OSHA's Respiratory Protection Standard (29 CFR 1910.134) should be followed.

 SECTION 9: Physical and chemical properties

SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and	chemical properties
Physical state	: Solid
Appearance	: Sandwich panel.
Color	: Black
Odor	: Odorless to slight aromatic odor
Odor threshold	: No data available
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 0.2-0.5g/cc
Solubility	: Unknown.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: No data available
9.2. Other information	
No additional information available	
<b>SECTION 10: Stability and reactivity</b>	/
10.1. Reactivity	
No additional information available	

### 10.2. Chemical stability

Product is stable. Hazardous polymerization will not occur.

### 10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

Strong oxidizing agents, strong acids and bases, especially oxalic and hydrofluoric acid and acyl halides.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.6. Hazardous decomposition products

Decomposition and combustion products may

be toxic. Can decompose in a fire emitting toxic fumes and gases of carbon dioxide, carbon monoxide, hydrogen cyanide, antimony oxides, hydrogen bromide; oxides of nitrogen and other toxic and irritating gases can be produced depending on condition of combustion.

SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
Acute toxicity	: Not classified		
Carbon (7440-44-0)			
LD50 oral rat	> 5 mg/kg Gekkan Yakuji. Pharmaceuticals Monthly. Vol. 34, Pg. 416, 1992.		

Cured Phenolic Resin(s) (Proprietary)		
LD50 oral rat	> 5000 mg/kg	National Technical Information Service. Vol. OTS0556084
LD50 dermal rat	> 2000 mg/kg	National Technical Information Service. Vol. OTS0556084

Co-cured epoxy resin/synthetic elastomer (Proprietary)		
LD50 oral rat	≤ 2000 ml/kg	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Causes serious eye damage.	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: May cause cancer (Dermal, Inhalation, oral).	
Fiberglass (65997-17-3)		
IARC group	3 - Not classifiable	
National Toxicology Program (NTP) Status	3 - Reasonably anticipated to be Human Carcinogen	
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.	

Reproductive toxicity	-	Suspected of damaging fertility of the unborn child.
Specific target organ toxicity (single exposure)	:	Not classified
Specific target organ toxicity (repeated exposure)	:	Not classified
Aspiration hazard	:	Not classified
Symptoms/injuries	:	As packaged, this material does not present significant health hazards. The hazards below apply to the product if aerosols or dusts are generated from cutting, grinding, or pulverizing.
Symptoms/injuries after inhalation	:	Inhalation of dust may result in itching and upper respiratory tract irritation.
Symptoms/injuries after skin contact	:	Dusts and particulate matter may cause irritation of the skin.
Symptoms/injuries after eye contact	:	Dusts and particulate matter may cause irritation of the eyes. Mechanical irritation, potentially severe, can result from eye contact with this material.
Symptoms/injuries after ingestion	:	May cause toxic effects if inhaled or ingested/swallowed.
Chronic symptoms	:	Persons with a history of chronic lung diseases may be at increased risk from exposure to excessive levels of nuisance dust. Persons with medical conditions generally aggravated by mechanical irritants in the air or on the skin may be at increased risk for a worsening of the underlying condition if exposed.

SECTI	ON 12: Ecological information
12.1.	Toxicity
No addi	tional information available
12.2.	Persistence and degradability
No addit	tional information available
12.3.	Bio accumulative potential
No addi	tional information available
12.4.	Mobility in soil
No addi	tional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 12.5. Other adverse effects

Effect on the global warming

: No known ecological damage caused by this product.

SECTION 13: Disposal considera	itions
13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	<ul> <li>Empty containers will contain product residues. Observe proper safety and handling precautions. Do not allow empty containers to be used for any purpose except to store and ship original product.</li> </ul>
Ecology - waste materials	: Avoid release to the environment.

: No supplementary information available.

# SECTION 14: Transport information

In accordance with DOT

Not regulated for transport

# Additional information

Other information

#### ADR

No additional information available

#### Transport by sea

No additional information available

#### Air transport

No additional information available

# SECTION 15: Regulatory information

### 15.1. US Federal regulations

Sandwich Panels Composed of Carbon Fiber Reinforced Epoxy Facing Skins Bonded to a Nomex Aramid honeycomb core Not listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed on the Toxic Substances Control Act (TSCA) inventory except for:

Nomex Paper	CAS No 25765-47-3	C>=10.00% ; C<=20.00%
Cured Epoxy Adhesive	CAS No Proprietary	C>=8.00% ; C<=18.00%
Cured Phenolic Resin(s)	CAS No Proprietary	C>=10.00% ; C<=33.00%
Co-cured epoxy resin/synthetic elastomer R0429	CAS No Proprietary	C>=12.00% ; C<=20.00%

### Antimony pentoxide (1314-60-9)

Listed on United States SARA Section 313

#### 15.2. International regulations

CANADA No additional information available

EU-Regulations

No additional information available

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

#### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

#### 15.2.2. National regulations

#### 15.3. US State regulations

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Fiberglass (65997-17-3)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
Yes	No	No	No	

#### Antimony pentoxide (as Antimony) (1314-60-9)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

- U.S. New York Right to Know Hazardous Substances List
- U.S. Pennsylvania RTK (Right to Know) List

## **SECTION 16: Other information**

#### Revision date

Data sources

#### : 07/18/2024

ChemADVISOR, Inc.[https://www.chemadvisor.com]. ChemIDplus [http://chem.sis.nlm.nih.gov/chemidplus/rn/116094-23-6]. GESTIS

[http://chem.sis.nlm.nih.gov/chemidplus/rn/116094-23-6]. GESTIS DNEL Database [http://dnelen.itrust.de/nxt/gateway.dll/dnel\_en/000000.xml?f=templates\$fn=default.htm\$vid=dneleng:ddb eng\$3.0/]. http://gestis

en.itrust.de/nxt/gateway.dll/gestis\_en/000000.xml?f=templates\$fn=default.htm\$3.0; PubChem - phenoxarsine oxide https://pubchem.ncbi.nlm.nih.gov/summary/summary.cgi?cid=6017; ToxNet - PHENARSAZINE OXIDE http://toxnet.nlm.nih.gov/cgi-

bin/sis/search2/f?./temp/~jpBTjo:2; 29 CFR 1910.1000 - OSHA Annotated Table Z-1.

#### Full text of H-phrases:

Carc. 1B	Carcinogenicity Category 1B
Comb. Dust	Combustible Dust
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Repr. 2	Reproductive toxicity Category 2
Skin Sens. 1	Skin sensitization Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H232	May form combustible dust concentrations in air
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H335	May cause respiratory irritation
H350	May cause cancer
H361	Suspected of damaging fertility or the unborn child

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 3 - Serious Hazard - Major injury likely unless prompt action is taken and medical treatment in given
Flammability	: 0 - Minimal Hazard

: 0 - Minimal Hazard

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

Physical

is